

Revisió bibliogràfica del perfil professional de la infermera en l'àmbit de la Gestió de la Imatge Corporal (GIC)

Col·legi Oficial d'Infermeres i Infermers de Barcelona (COIB)

Barcelona, Novembre de 2018



Recull bibliogràfic elaborat per Eva Elias Sanz. Infermera i Documentalista. Professora associada a l'Escola d'Infermeria de la Facultat de Medicina i Ciències de la Salut de la Universitat de Barcelona. El recull es va fer durant els mesos de desembre de 2017 fins a febrer de 2018.

Índex

Informe sobre la cerca bibliogràfica realitzada	3
Descripció i objectiu	3
Bases de dades consultades	3
Estratègia de cerca	4
Criteris de selecció	6
Recull revisió bibliogràfica	7

Informe sobre la cerca bibliogràfica realitzada

Descripció i objectiu

Dins la nova línia de treball iniciada per el Col·legi d'Infermeres i Infermers de Barcelona, adreçada a definir i reconèixer l'activitat de la **infermera dedicada a la gestió de la imatge corporal de les persones**, s'ha considerat fonamental oferir a les infermeres una revisió bibliogràfica per donar suport a la formació i la recerca en aquest àmbit i reforçar les bases que permetin ordenar aquest àmbit competencial infermer.

Nombroses infermeres i infermers que desenvolupen la seva activitat assistencial en diferents unitats, centres o en compte propi treballen directament sobre aspectes vinculats amb la imatge personal de les persones. Unes intervencions que sobrepassen la intervenció merament física per donar unes cures integrals i centrades en la persona. La infermera aporta una perspectiva molt més àmplia que els aspectes relacionats amb l'estètica, des dels valors i principis de la disciplina infermera i, amb fermes bases deontològiques, que la configura com la professional adient per vetllar per una atenció basada en les necessitats de les persones i no en altres interessos aliens.

En aquest informe es descriu la manera en que es va dur a terme la investigació documental sobre el perfil professional de la infermera dins l'àmbit de la gestió de la imatge corporal. El treball es va fer durant els mesos de desembre de 2017 fins a febrer de 2018 i el resultat és de 363 referències.

Bases de dades consultades

En aquesta rigorosa cerca de referències bibliogràfiques es van consultar les següents bases de dades sobre ciències de la salut d'abast internacional:

- **Pubmed:** Triada per tenir opcions de cerca molt elaborades (inclòs thesaurus), gran potència (indexa uns 3000 documents al dia) i per facilitat d'accés.
- **CINAHL:** Elegida per ser una base de dades dissenyada per a professionals d'infermeria, conté més de 3000 revistes de la disciplina infermera.
- **Scopus:** Triada per la seva gran cobertura, per la seva feina amb indicadors bibliomètrics i per la seva ajuda en l'avaluació de la producció científica.

- **Cochrane Library:** Elegida per caracteritzar-se en revisions sistemàtiques i avaluació crítica de la literatura científica.

Estratègia de cerca

A continuació es presenta un quadre resum sobre la cerca relacionada amb el perfil global de la infermera gestora de la imatge corporal realitzada en les 4 bases de dades indicades:

Base de dades	Estratègia de cerca	Limitacions	Número de referències
Pubmed	"Body Image"[Mesh] AND nursing	5 darrers anys Title/Abstract	43
CINAHL	(MH "Body Image") AND nursing	5 darrers anys	156
Scopus	"Body Image" AND nursing	5 darrers anys Title/Abstract/ Keywords Subject Area: Nursing	121
Cochrane	"Body Image" AND nursing	5 darrers anys Title/Abstract/ Keywords	11 (trials, cap revisió)

En tots els casos es relaciona el terme *body image* amb el terme *nursing*. Es limita per allò publicat en els darrers 5 anys, ja que interessa bibliografia recent sobre el tema d'estudi. En el cas de Pubmed i CINAHL es fa servir el thesaurus (llenguatge controlat) per a millor precisió i exhaustivitat en la recuperació d'informació. En alguns casos també es limita pel camp on es busquen els termes (títol, resum, paraules clau), inclús per àrea temàtica (infermeria).

Posteriorment es continua cercant a nivell de tècniques específiques que ajuden a millorar la imatge corporal. Les cerques es realitzen en les 4 bases de dades esmentades limitant per allò publicat en els últims 5 anys i, en molts casos, acotant a que els termes cercats apareguin en el títol i/o resum dels documents. Les paraules clau i estratègia aplicades són les següents:

- (esthetic OR aesthetic) AND nursing (Title/Abstract)
- (esthetic OR aesthetic) AND ethic* (Title/Abstract)
- (makeup or cosmetics or beauty products) AND nursing
- Natural cosmetics AND aesthetic*
- (thermotherapy OR ultrasound) AND aesthetics
- Mesotherapy
- "Color Therapy"[Mesh]
- Phytotherapy AND aesthetic
- Foot reflexology
- Naturopath* AND nursing
- Homeopathy AND nursing
- Kinesiology AND aesthetic*
- Oligotherapy
- Colon hydrotherapy
- Cryolipolysis
- Pressotherapy
- Facial AND (steam OR ozone OR ultrasonic peeling)
- Cavitation AND aesthetic
- (photoepilation OR pulsed light) AND aesthetic
- Radiofrequency AND aesthetic
- Laser AND aesthetic (title/abstract)
- Laser AND depilation (title/abstract)
- Aesthetic AND (abscesses, open wound OR foreign body OR fibroma OR cyst OR nevus OR cutaneous horn OR molluscum contagiosum OR angioma punctate) (Title/Abstract)
- (rhinoplasty OR otoplasty) AND nursing
- (rhinoplasty OR otoplasty) AND aesthetic
- Chin AND cheekbones AND surg*
- Body contouring surgery
- (liposuction OR abdominoplasty OR lipolaser) AND aesthetic (Title/Abstract)
- ("head surgery" OR "neck surgery") AND nursing (Title/Abstract)
- ("head surgery" OR "neck surgery") AND aesthetic (Title/Abstract)
- Scars AND aesthetic (Title/Abstract)
- Labioplasty OR labiaplasty (Title/Abstract)
- Skin whitening (Title/Abstract)
- Facial rejuvenation (Title/Abstract)

- (mammoplasty AND aesthetic) NOT cancer (Title/Abstract)
- Aesthetic breast augmentation (Title/Abstract)
- Aesthetic AND breast implant* (Title/Abstract)
- Aesthetic AND surgery AND abdomen

Malauradament en algunes cerques ha calgut eliminar la paraula *nursing* ja que no es recuperaven documents. Això fa pensar que potser no hi ha prou literatura científica a nivell infermer sobre alguns aspectes relacionats amb la imatge corporal.

Criteris de selecció

En funció al número de referències trobades es fa una selecció dels documents més rellevants. En els criteris de selecció es tenen en compte:

- L'adequació del que es desprèn de la lectura del resum dels documents
- El propi ranking de rellevància de cada base de dades que pren en consideració el text complet dels documents, la font de publicació i el número de cites rebudes

Les 363 referències triades s'introdueixen dins el gestor bibliogràfic Mendeley i es classifiquen per diverses àrees temàtiques: generalitats, ètica, neoplàsies, teràpies alternatives, micropigmentació, drenatge linfàtic, cirurgia menor i major, etc. Aquest gestor facilita la citació dels documents en l'estil normalitzat Vancouver, propi de l'àmbit de ciències de la salut.

Recull revisió bibliogràfica

1. Benner P, Wrubel J. *The Primacy of Caring: Stress and Coping in Health and Illness*. 1st ed. Menlo Park: Pearson; 1989.
2. Busher Betancourt DA. Madeleine Leininger and the Transcultural Theory of Nursing. Downt Rev Iss 2015;2(1):1-8. Disponible a: <https://engagedscholarship.csuohio.edu/cgi/viewcontent.cgi?referer=https://www.google.es/&httpsredir=1&article=1020&context=tdr>
3. Carpenito L. *Manual de diagnósticos enfermeros*. 15th ed. Barcelona: WoltersKluwer; 2017.
4. Fawcett J. *Analysis and Evaluation of Conceptual Models of Nursing*. 1st ed. Philadelphia: PA DavisCo; 1989.
5. Fernández Lasquetty B. *Aplicación de los lenguajes normalizados Nanda, Noc, Nic*. 1st ed. Madrid: DAE; 2012.
6. Flascherud J, Halloran E. *Areas of Agreement in Nursing Theory Development*. ANS Adv Nurs Sci. 1980;3(1):1-8.
7. Hayne Y. *The current status and future significance of nursing as a discipline*. J Adv Nurs. 1992;17(1):104–7. Disponible a: <https://onlinelibrary.wiley.com/doi/pdf/10.1111/j.1365-2648.1992.tb01824.x>
8. Henderson V. *Principios básicos de los cuidados de enfermería*. Ginebra: Consejo Internacional de Enfermería; 1971.
9. Henderson V. *The concept of nursing*. 1977. J Adv Nurs. 2006; 53(1):21-31; 32-4.
10. Henderson V. *La naturaleza de la enfermería: una definición y sus repercusiones en la práctica, la investigación y la educación: reflexiones 25 años después*. Madrid: Interamericana-McGraw Hill, editor; 1994.
11. Kérouak S, Pepin J, Ducharme F, Duquette A, Major F. *El pensamiento enfermero*. 1st ed. Barcelona: Masson; 1996.
12. Olivé M. C, Isla M. P. *El modelo Watson para un cambio de paradigma en los cuidados enfermeros*. Rev ROL Enfermería. 2015;38(2):123–8.
13. Alfaro-LeFevre R, Aplicación del proceso enfermero: fundamento del razonamiento clínico. 1st ed. Barcelona: Health WK; 2014.
14. Watson J. *Nursing: human science and human care. A theory of nursing*. 1st ed. Norwalk: Appleton& Lange U.; 1985.
15. Duchková H, Hašková M. *Female androgenetic alopecia, a survey of causes and therapeutic options*. Cas Lek Cesk. 2015;154(2):90–4.
16. EL-Komy M, Hassan A, Tawdy A, Solimon M, Hady MA. *Hair loss at injection sites of mesotherapy for alopecia*. J Cosmet Dermatol. 2017;16(4):e28–0.

17. Mlacker S, Aldahan AS, Simmons BJ, Shah V, McNamara CA, Samarkandy S, et al. A review on laser and light-based therapies for alopecia areata. *J Cosmet Laser Ther.* 2017;19(2):93–9.
18. Saceda-Corralo D, Rodrigues-Barata A, Vano-Galvan S, Jaen-Olasolo P. Mesotherapy with dutasteride in the treatment of androgenetic alopecia. *Int J Trichology.* 2017;9(3):143. Disponible a: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5596657/>
19. Tchernev G, Sheta M, Rahoui M, Chokoeva AA, Wollina U, Maximov GK, et al. Biofibre hair implant: what is new, what is true? *J Biol Regul Homeost Agents.* 2016;30(2 Suppl 2):27–4.
20. Augustyniak A, Rotsztejn H. Intense pulsed light (IPL) treatment for the skin in the eye area – clinical and cutometric analysis. *J Cosmet Laser Ther.* 2017;19(1):18–4.
21. Auh SL, Iyengar S, Weil A, Bolotin D, Cartee T V., Dover JS, et al. Quantification of noninvasive fat reduction: A systematic review. *Lasers Surg Med.* 2018; 50:96–10. Disponible a: <https://onlinelibrary.wiley.com/doi/epdf/10.1002/lsm.22761>
22. Bani D, Li AQ, Freschi G, Russo G Lo. Histological and Ultrastructural Effects of Ultrasound-induced Cavitation on Human Skin Adipose Tissue. *Plast Reconstr Surg Glob Open.* 2013;1(6):e41. Disponible a: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4174158/>
23. Beasley KL, Weiss RA. Radiofrequency in Cosmetic Dermatology. *Dermatol Clin.* 2014;32(1):79–90.
24. Derrick CD, Shridharani SM, Broyles JM. The Safety and Efficacy of Cryolipolysis: A Systematic Review of Available Literature. *Aesthetic Surg J.* 2015;35(7):830–6. Disponible a: <https://academic.oup.com/asj/article/35/7/830/2589179>
25. Ho D, Jagdeo J. A Systematic Review of Paradoxical Adipose Hyperplasia (PAH) Post-Cryolipolysis. *J Drugs Dermatol.* 2017;16(1):62–7.
26. Kim H, Park KY, Choi SY, Koh H-J, Park S-Y, Park W-S, et al. The Efficacy, Longevity, and Safety of Combined Radiofrequency Treatment and Hyaluronic Acid Filler for Skin Rejuvenation. *Ann Dermatol.* 2014;26(4):447- 56.
27. Klein A, Steinert S, Baeumler W, Landthaler M, Babilas P. Photoepilation with a diode laser vs. intense pulsed light: a randomized, intrapatient left-to-right trial. *Br J Dermatol.* 2013;168(6):1287–93.
28. Klein KB, Bachelor EP, Becker E V., Bowes LE. Multiple same day cryolipolysis treatments for the reduction of subcutaneous fat are safe and do not affect serum lipid levels or liver function tests. *Lasers Surg Med.* 2017;49(7):640-44.
29. Langelier N, Beleznay K, Woodward J. Rejuvenation of the Upper Face and Periorbital Region: Combining Neuromodulator, Facial Filler, Laser, Light, and Energy-Based Therapies for Optimal Results. *Dermatologic Surg.* 2016;42:S77–S82.
30. Leal Silva H, Carmona Hernandez E, Grijalva Vazquez M, Leal Delgado S, Perez Blanco A. Noninvasive submental fat reduction using colder cryolipolysis. *J Cosmet Dermatol.* 2017;16(4):460–65.

31. Lipner SR. Cryolipolysis for the treatment of submental fat: Review of the literature. *J Cosmet Dermatol.* 2018; 17(2):145-51.
32. Mamalis AD, Lev-Tov H, Nguyen D-H, Jagdeo JR. Laser and light-based treatment of Keloids - a review. *J Eur Acad Dermatology Venereol.* 2014;28(6):689–99. Disponible a: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4378824/>
33. Martella A, Raichi M. Photoepilation and skin photorejuvenation: an update. *Dermatology Reports.* 2017;9(1):7116. Disponible a: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5475414/>
34. Ozbay I, Ital I, Kucur C, Akcilar R, Deger A, Aktas S, et al. Effects of ozone therapy on facial nerve regeneration. *Braz J Otorhinolaryngol.* 2017;83(2):168–75. Disponible a: https://ac.els-cdn.com/S1808869416300453/1-s2.0-S1808869416300453-main.pdf?tid=b35f5de3-1b0c-4e7d-85db-42db1ef71aca&acdnat=1524751313_a4e13568cd0d8c26a4a01b7c93fa7e2b
35. Paasch U, Schwandt A, Seeber N, Kautz G, Grunewald S, Haedersdal M. New lasers and light sources - old and new risks? *J Dtsch Dermatol Ges.* 2017 May;15(5):487-96. Disponible a: <https://onlinelibrary.wiley.com/doi/epdf/10.1111/ddg.13238>
36. Sadick N, Rothaus KO. Aesthetic Applications of Radiofrequency Devices. *Clin Plast Surg.* 2016;43(3):557–65. Disponible a: [https://linkinghub.elsevier.com/retrieve/pii/S0094-1298\(16\)30025-6](https://linkinghub.elsevier.com/retrieve/pii/S0094-1298(16)30025-6)
37. Theys S, Ferrández MEA, Hennequart T, Deltombe T. Pressotherapy: Interfacial pressure always in excess? *Eur J Lymphology Relat Probl.* 2015;27(73):22–4. Disponible a : <https://www.eurolymphology.org/JOURNAL/VOL27-N73-2015.pdf>
38. Verner I. Clinical evaluation of the efficacy and safety of fractional bipolar radiofrequency for the treatment of moderate to severe acne scars. *Dermatol Ther.* 2016;29(1):24–7.
39. Ligthelm EJ, Wright SCD. Lived experience of persons with an amputation of the upper limb. *Int J Orthop Trauma Nurs.* Elsevier Ltd; 2014;18(2):99–106.
40. Schreiber ML. Evidence-Based Practice. Lower Limb Amputation: Postoperative Nursing Care and Considerations. *MEDSURG Nurs.* Nursing Faculty Member, Orangeburg-Calhoun Technical College, Orangeburg, SC: Jannetti Publications, Inc.; 2017 Jul;26(4):274–7.
41. Agarwal S, Shenaq D, Teven CM, Prachand V, Roughton M, Zachary L. Body contouring after obesity surgery is associated with a weight loss benefit among patients. *J Plast Reconstr Aesthetic Surg.* 2017;70(9):1186–90.
42. Al Azrak M, Ogawa R. Dermatologic Microsutures Using Human Hair: A Useful Technique in Cutaneous Stitching. *Eplasty.* 2017;17:e24.
43. Altuntas Z, Oltulu P, Dadaci M, Ince B, Dundar M. A Huge Cutaneous Horn of Ear. *Facial Plast Surg.* 2015;31(1):088–90.
44. Alzahrani KJ, Kattan AE, Ezzat LA, Alsaleh SA, Murad KA, Alghamdi BA. A Psychosocial Analysis of the Effect of Body-Contouring Surgery on Patients After Weight Loss. *Eplasty.* 2017;17:e12. A

45. Austin RE, Lista F, Khan A, Ahmad J. The Impact of Protein Nutritional Supplementation for Massive Weight Loss Patients Undergoing Abdominoplasty. *Aesthetic Surg J.* 2016;36(2):204–10.
46. Behle V, Hamm H. Fehlbildungen und Nävi des behaarten Kopfes. *Der Hautarzt.* 2014;65(12):1022–9.
47. Bellini E, Grieco MP, Raposio E. A journey through liposuction and liposculpture: Review. *Ann Med Surg.* 2017;24:53–0. Disponible a: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5681335/>
48. Boleira M, de Almeida Balassiano LK, Jeunon3 T. Complete regression of a melanocytic nevus after epilation with diode laser therapy. *Dermatol Pract Concept.* 2015;5(2):99–3. Disponible a: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4462911/pdf/dp0502a20.pdf>
49. Braun T, Berghaus A. Ohranlegung und Lebensqualität. *HNO.* 2015;63(1):28–3.
50. Brightman L, Ng S, Ahern S, Cooter R, Hopper I. Cosmetic tourism for breast augmentation: a systematic review. *ANZ J Surg.* 2017;3. Disponible a: https://www.researchgate.net/publication/321532272_Cosmetic_tourism_for_breast_augmentation_A_systematic_review?enrichId=rqreq-9dc7b3c3ed4bfe4a5048a53bc3d151af-XXX&enrichSource=Y292ZXJQYWdI OzMyMTUzMjI3MjtBUzo1NzAzMzcxOTkwOTk5MDVA MTUzMjk5MDM5MjA3MA%3D%3D&el=1_x_2& esc=publicationCoverPdf
51. Chao AH, Garza R, Povoski SP. A review of the use of silicone implants in breast surgery. *Expert Rev Med Devices.* 2016;13(2):143–56.
52. Cornette de Saint Cyr B, Benouaiche L. Quelle est la place des fils tenseurs pour rajeunir le visage. *Ann Chir Plast Esthétique.* 2017;62(5):488–4.
53. Costagliola M, Atiyeh B, Rampillon F, Illouz Y-G, Dibo S. Aesthetic or Functional Indications for Liposuction. *Aesthetic Surg J.* 2013;33(8):1212–13. Disponible a: <https://academic.oup.com/asj/article/33/8/1212/224652>
54. Dreher R, Blaya C, Tenório JLC, Saltz R, Ely PB, Ferrão YA. Quality of Life and Aesthetic Plastic Surgery. *Plast Reconstr Surg - Glob Open.* 2016;4(9):e862. Disponible a: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5054993/>
55. Fioramonti P, Serratore F, Tarallo M, Ruggieri M, Ribuffo D. Otoplasty for prominent ears deformity. *Eur Rev Med Pharmacol Sci.* 2014;18(21):3156–65. Disponible a : <https://www.europeanreview.org/article/7674>
56. Frank SJ, Flusberg M, Friedman S, Sternschein M, Wolf EL, Stein MW. Aesthetic surgery of the buttocks: imaging appearance. *Skeletal Radiol.* 2014;43(2):133–9.
57. Friedrich RE, Zustin J. Paraffinoma of lips and oral mucosa: Case report and brief review of the literature. *GMS Interdiscip Plast Reconstr Surg DGPW.* 2014;3:Doc05. Disponible a: <http://www.egms.de/static/en/journals/ipsr/2014-3/ipsr000046.shtml>
58. García Botero A, García Wenninger M, Fernández Loaiza D. Complications After Body Contouring Surgery in Postbariatric Patients. *Ann Plast Surg.* 2017;79(3):293–7. Disponible a: <https://www.karger.com/Article/PDF/324567>

59. Ghassemi A, Rübben A, Bohluli B, Hözle F, Ghassemi M. Use of aesthetic rhinoplasty procedures in reconstructive nasal surgery. *Br J Oral Maxillofac Surg.* 2015;53(1):44–8.
60. Guimarães PAMP, Resende VCL, Sabino Neto M, Seito CL, de Brito MJA, Abla LEF, et al. Sexuality in Aesthetic Breast Surgery. *Aesthetic Plast Surg.* 2015;39(6):993–9. Disponible a :
https://journals.lww.com/plasreconsurg/Fulltext/2015/10001/Sexuality_in_Aesthetic_Breast_Surgery.237.aspx
61. Hassanein AH, Greene AK. Congenital Melanocytic Nevus of the Nose Removed Using Dermabrasion, Hydroquinone, and Serial Excision. *J Craniofac Surg.* 2015;26(7):2216–7.
62. Haytoglu S, Haytoglu TG, Yildirim I, Arikan OK. A modification of incisionless otoplasty for correcting the prominent ear deformity. *Eur Arch Otorhinolaryngol.* 2015;272(11):3425–30.
63. Helyar V, Burke C, McWilliams S. The ruptured PIP breast implant. *Clin Radiol.* 2013;68(8):845–50.
64. Ho Quoc C, Faure C, Carrabin N, Istasse F, Rivoire M, Delay E. Apport du lambeau glandulaire postérieur du sein en chirurgie oncoplastique. *J Gynécologie Obs Biol la Reprod.* 2015;44(6):510–5.
65. Hosseinzadeh K, Hamadzadeh H, Khorasani M, Jamshidi M. Health-Related Quality of Life of Persons after Rhinoplasty: A Longitudinal Study among Iranian Population. *J Clin diagnostic Res.* 2017;11(3):ZC60-ZC62. Disponible a :
[http://www.jcdr.net/articles/PDF/9581/22903_CE\[Ra\]_F\(DK\)_PF1\(DK_NE\)_PFA\(DK\)_PF2\(P_NESY\).pdf](http://www.jcdr.net/articles/PDF/9581/22903_CE[Ra]_F(DK)_PF1(DK_NE)_PFA(DK)_PF2(P_NESY).pdf)
66. Kaoutzanis C, Gupta V, Winocour J, Layliev J, Ramirez R, Grotting JC, et al. Cosmetic Liposuction: Preoperative Risk Factors, Major Complication Rates, and Safety of Combined Procedures. *Aesthetic Surg J.* 2017;37(6):680–94.
67. Kayabasoglu G, Nacar A. An Unexpected Otoplasty Complication: Temporal Nerve Paresis. *Aesthetic Plast Surg.* 2015;39(1):114–6.
68. Kim H, Yoo KH, Zheng Z, Cho S Bin. Pressure- and dose-controlled transcutaneous pneumatic injection of hypertonic glucose solution for the treatment of atrophic skin disorders. *J Cosmet Laser Ther.* 2017;19(8):479–84.
69. Kotzampasis D, Piniara A, Themelis S, Kotzampasis S, Gabriel E, Maroudias N, et al. Quality of life of patients who underwent aesthetic rhinoplasty: 100 cases assessed with the Glasgow Benefit Inventory. *Laryngoscope.* 2017;127(9):2017–25. Disponible a :
<http://www.sbccp.org.br/arquivos/LG2017-09/lary.26517.pdf>
70. Lai W-S, Lin Y-Y, Shih C-P, Chen H-C, Yang P-L, Chu Y-H, et al. Clinical application of suction-tube-assisted septal submucosal dissection for endoscopic septoplasty. *Eur Arch Otorhinolaryngol.* 2017;274(3):1471–5.
71. Lee MK, Most SP. A Comprehensive Quality-of-Life Instrument for Aesthetic and Functional Rhinoplasty. *Plast Reconstr Surg - Glob Open.* 2016;4(2):e611. Disponible a :
https://journals.lww.com/prsgo/Fulltext/2016/02000/A_Comprehensive_Quality_of_Life_Instrument_for.11.aspx

72. Lekakis G, Picavet VA, Gabriëls L, Grietens J, Hellings PW. Body Dysmorphic Disorder in aesthetic rhinoplasty: Validating a new screening tool. *Laryngoscope*. 2016;126(8):1739–45.
73. Lohuis PJ, Datema FR. Patient satisfaction in Caucasian and Mediterranean open rhinoplasty using the tongue-in-groove technique: Prospective statistical analysis of change in subjective body image in relation to nasal appearance following aesthetic rhinoplasty. *Laryngoscope*. 2015;125(4):831–6.
74. Maranda EL, Wang MX, Shareef S, Tompkins BA, Emerson C, Badiavas EV. Surgical management of leukoderma after burn: A review. *Burns*. 2018 Mar;44(2):256-62
75. Matarasso A, Matarasso DM, Matarasso EJ. Abdominoplasty: classic principles and technique. *Clin Plast Surg*. 2014;41(4):655–72.
76. Matarasso A, Smith DM. Strategies for Aesthetic Reshaping of the Postpartum Patient. *Plast Reconstr Surg*. 2015;136(2):245–57.
77. Michot A, Alet J-M, Péliissier P, Grolleau-Raoux J-L, Bodin F, Chaput B. Morbidity in combined-procedure associating abdominoplasty and breast surgery: A systematic review. *Ann Chir Plast Esthet*. 2016;61(1):e9–19.
78. Mustafi N, Engels P. Post-surgical wound management of pilonidal cysts with a haemoglobin spray: a case series. *J Wound Care*. 2016;25(4): 191-2, 194-8.
79. Naraghi M, Atari M. Interest in Aesthetic Rhinoplasty Scale. *Facial Plast Surg*. 2017;33(2):217–24.
80. Niddam J, Hersant B, Meningaud JP. Aesthetic outcomes of liposuction after breast reconstruction using exclusive fat grafting. *J Plast Reconstr Aesthetic Surg*. 2017;70(12):1782–4.
81. Papadopoulos NA, Niehaus R, Keller E, Henrich G, Papadopoulos ON, Staudenmaier R, et al. The Psychologic and Psychosocial Impact of Otoplasty on Children and Adults. *J Craniofac Surg*. 2015;26(8):2309–14.
82. Paraskeva N, Clarke A, Grover R, Hamilton S, Withey S, Harcourt D. Facilitating shared decision-making with breast augmentation patients: Acceptability of the Pegasus intervention. *J Plast Reconstr Aesthetic Surg*. 2017;70(2):203–8.
83. Pavan C, Marini M, De Antoni E, Scarpa C, Brambullo T, Bassetto F, et al. Psychological and Psychiatric Traits in Post-bariatric Patients Asking for Body-Contouring Surgery. *Aesthetic Plast Surg*. 2017;41(1):90–7.
84. Perez JL, Rohrich RJ. Optimizing Post-surgical Scars. *Plast Reconstr Surg*. 2017;140(6):782e–93e.
85. Polotto S, Grieco MP, Simonacci F, Bertozzi N, Marchesi F, Grignaffini E, et al. Reduction mammoplasty techniques in post-bariatric patients: our experience. *Acta Biomed*. 2017;88(2):156–60.
86. Pool SM, Krabbe-Timmerman IS, Cromheecke M, van der Lei B. Improved Upper Blepharoplasty Outcome Using an Internal Intradermal Suture Technique. *Dermatol Surg*. 2015;41(2):246–9.

87. Reissis D, Tickunas T, Agha R, Greig A. Intralesional excision with topical intralesional cryotherapy improves the treatment of keloid scarring in a paediatric patient. *Ann R Coll Surg Engl.* 2017;99(8):e233–5.
88. Rocco N, Rispoli C, Moja L, Amato B, Iannone L, Testa S, et al. Different types of implants for reconstructive breast surgery. *Cochrane Database Syst Rev.* 2016;5:CD010895. Disponible a: <http://cochranelibrary-wiley.com/doi/10.1002/14651858.CD010895.pub2/epdf>
89. Saldanha OR, Salles AG, Ferreira MC, Llaverias F, Morelli LHU, Saldanha Filho OR, et al. Discussion: Aesthetic Evaluation of Lipoabdominoplasty in Overweight Patients. *Plast Reconstr Surg.* 2013;132(5):1103–12.
90. Salgado CJ, Sinha VR, Desai U. Liposuction and Lipofilling for Treatment of Symptomatic Silicone Toxicosis of the Gluteal Region. *Aesthet Surg J.* 2014;34(4):571–7.
91. Sasaki GH. Micro-Needling Depth Penetration, Presence of Pigment Particles, and Fluorescein-Stained Platelets: Clinical Usage for Aesthetic Concerns. *Aesthet Surg J.* 2017;37(1):71–83. Disponible a: <https://academic.oup.com/asj/article/37/1/71/2705996>
92. Schultz K, Guillen D, Maricevich R. Newborn Ear Deformities: Early Recognition and Novel Nonoperative Techniques. *Semin Plast Surg.* 2017;31(3):141–5.
93. Schwitzer JA, Klassen AF, Cano SJ, Baker SB, East C, Pusic AL. Measuring Satisfaction with Appearance : Validation of the FACE-Q Scales for the Nose, Forehead, Cheekbones, and Chin. *Plast Reconstr Surg.* 2015;136(4 Suppl):140–1. Disponible a: https://journals.lww.com/plasreconsurg/Fulltext/2015/10001/Measuring_Satisfaction_with_Appearance_.193.aspx
94. Sena Esteves S, Gonçalves Ferreira M, Carvalho Almeida J, Abrunhosa J, Almeida e Sousa C. Evaluation of aesthetic and functional outcomes in rhinoplasty surgery: a prospective study. *Braz J Otorhinolaryngol.* 2017;83(5):552–7. Disponible a: https://ac.els-cdn.com/S180869416301392/1-s2.0-S180869416301392-main.pdf?_tid=09c11d3c-bb0b-4278-a763-03dd20f707f3&acdnat=1525435306_18924360059acab035e4689a01746161
95. Serrano TL, Pauna HF, Hazboun IM, Dal Rio AC, Correa ME, Nicola EM. Foreign Body in Jugal Mucosa. *Int Arch Otorhinolaryngol.* 2015;19(4):364–6. Disponible a: <https://www.thieme-connect.com/products/ejournals/pdf/10.1055/s-0035-1547522.pdf>
96. Seth AK, Friedstat JS, Orgill DP, Pribaz JJ, Halvorson EG. Microsurgical Burn Reconstruction. *Clin Plast Surg.* 2017;44(4):823–32.
97. Sinno S, Salvino MJ, Vandevender D. Comparing Patient Satisfaction in Bilateral and Unilateral Breast Reconstruction. *Plast Surg Nurs.* 2014;34(3):141–5;quiz 146–7.
98. Stivala A, Rem K, Leuzzi S, Moris V, François C, Revol M, et al. Efficacy of ultrasound, mammography and magnetic resonance imaging in detecting breast implant rupture: A retrospective study of 175 reconstructive and aesthetic sub-pectoral breast augmentation cases. *J Plast Reconstr Aesthetic Surg.* 2017;70(11):1520–6.
99. Vidal P, Berner JE, Will PA. Managing Complications in Abdominoplasty: A Literature Review. *Arch Plast Surg.* 2017;44(5):457–68. Disponible a: <https://www.e-aps.org/journal/view.php?doi=10.5999/aps.2017.44.5.457>

100. Weissman O, Goldman N, Stavrou D, Barzilai L, Grabov Nardini G, Farber N, et al. Adhesive skin closure technique for closure of fasciotomy wounds in pediatric patients: a case series. *Wounds*. 2015;27(5):118–2.
101. Winocour J, Gupta V, Ramirez JR, Shack RB, Grotting JC, Higdon KK. Abdominoplasty: Risk Factors, Complication Rates, and Safety of Combined Procedures. *Plast Reconstr Surg*. 2015;136(5):597e–606e.
102. Yang J, Zhang R, Shen J, Hu Y, Lv Q. The Three-Dimensional Techniques in the Objective Measurement of Breast Aesthetics. *Aesthetic Plast Surg*. 2015;39(6):910–5.
103. Yatsyshyn I V. [Important esthetic aspects of correction of anterior abdominal wall]. *Klin khirurhiia*. 2015;(2):22–4. Disponible [en ucranià] a: <https://hirurgiya.com.ua/index.php/journal/issue/download/88/2-2015>
104. Ashworth H. Treating individuals who identify as transgender: holistic care and hair removal. *J Aesthetic Nurs*. Clinical Lead Nurse, Laser Clinic, Swindon, Wiltshire.e: Mark Allen Holdings Limited; 2015;4(10):486–9.
105. Goodman MP, Placik OJ, Matlock DL, Simopoulos AF, Dalton TA, Veale D, et al. Evaluation of Body Image and Sexual Satisfaction in Women Undergoing Female Genital Plastic/Cosmetic Surgery. *Aesthetic Surg J*. 2016;36(9):1048–57. Disponible a: <https://academic.oup.com/asj/article/36/9/1048/2664464>
106. Hunter JG. Commentary on: Labia Minora, Labia Majora, and Clitoral Hood Alteration: Experience-Based Recommendations. *Aesthetic Surg J*. 2016;36(1):80-1.
107. Magon N, Alinsod R. Female Cosmetic Genital Surgery: Delivering What Women Want. *J Obs Gynaecol India*. 2017;67(1):15–9. Disponible a: <https://www.springermedizin.de/female-cosmetic-genital-surgery-delivering-what-women-want/10572908>
108. Oranges CM, Schaefer KM, Haug M, Schaefer DJ. Psychological Outcomes of Labiaplasty. *Plast Reconstr Surg*. 2017;140(3):506e–507e.
109. Oranges CM, Schaefer KM, Kalbermatten DF, Haug M, Schaefer DJ. Why Women Request Labiaplasty. *Plast Reconstr Surg*. 2017;139(4):856-63. Disponible a: https://journals.lww.com/plasreconsurg/Fulltext/2017/12000/Why_Women_Request_Labiaplasty.51.aspx#
110. Petry AR. Transgender women and the Gender Reassignment Process: subjection experiences, suffering and pleasure in body adaptation. *Rev Gaucha Enferm*. 2015;36(2):70–5.
111. Sharp G, Tiggemann M. Educating women about normal female genital appearance variation. *Body Image*. 2016;16:70–8.
112. Shaw D, Lefebvre G, Bouchard C, Shapiro J, Blake J, Allen L, et al. Chirurgie esthétique génitale chez la femme. *J Obstet Gynaecol Canada*. 2016;38(12):S370–5. Disponible a: [https://www.jogc.com/article/S1701-2163\(16\)39671-2/fulltext#sec6](https://www.jogc.com/article/S1701-2163(16)39671-2/fulltext#sec6)
113. Wangjiraniran B, Selvaggi G, Chokrungvaranont P, Jindarak S, Khobunsongserm S, Tiewtranon P. Male-to-female vaginoplasty: Preecha's surgical technique. *J Plast Surg Hand Surg*. 2015;49(3):153–9.

114. Wood PL. Cosmetic genital surgery in children and adolescents. Best Pract Res Clin Obstet Gynaecol. 2018;(48):137-146
115. Bennett S. An update on the European Standard and aesthetic nursing competencies. J Aesthetic Nurs. Mark Allen Holdings Limited; 2013 Oct;2(8):404.
116. Bennett S. Consulting on clinical standards and prescribing competencies. J Aesthetic Nurs. Chair, British Association of Cosmetic Nurses, Bristol: Mark Allen Holdings Limited; 2017;6(10):562.
117. Bonandrini B. The development of the body schema. Soins Psychiatr. Masson Editeur; 2014;(292):39–43.
118. Brackenbury J. Exploring the concept of empathy in aesthetic nursing. J Aesthetic Nurs. Mark Allen Holdings Limited; 2016;5(7):349–53.
119. Brennan C. Leadership and Management in Aesthetic Medicine. Plast Surg Nurs. 2016;36(1):19–23.
120. Brennan C. The “Nuts & Bolts” of Becoming an Aesthetic Provider. Plast Surg Nurs. 2013;33(4):179-84.
121. Brennan C. Aesthetic Policy and Procedure Protocols. Plast Surg Nurs. 2015;35(3):127–8.
122. Caravaca-Morera JA, Padilha MI. Bodies in motion: Spaces, emotions and representations that (de)construct realities. Rev da Esc Enferm. 2017;51(1):1–8. Disponible a: http://www.redalyc.org/articulo.oa?id=361050485014_2
123. Cieslak A, Elkins G, Banerjee T, Marsack J, Hickman K, Johnson A, et al. Developing a Hypnotic Relaxation Intervention to Improve Body Image: A Feasibility Study. Oncol Nurs Forum. 2016;43(6):E233–41.
124. Costello K. Is there a strong evidence base for pain relief prior to medical aesthetic procedures? J Aesthetic Nurs. 2013;2(3):138–42.
125. De Almeida Vieira Monteiro APT, Curado M, Queirós P. Biotechnology: digital revolution and aesthetic knowledge in nursing. Rev Enferm Ref. 2017 Apr;4(13):139–46. Disponible a: https://www.researchgate.net/publication/317595636_Biotechnology_digital_revolution_and_aesthetic_knowledge_in_nursing
126. Devan N. CCR Expo: What has been the most significant advance in medical aesthetics this year? J Aesthetic Nurs. 2014;3(8):382–5.
127. Dobbs S. Aesthetic Nursing - An Overview. Dermatological Nurs. 2013;12(1):20–5. Disponible a: https://s3-eu-west-1.amazonaws.com/bdng/wp-content/uploads/2017/02/01181435/12_1_20.pdf
128. Epstein I, Peisachovich E, Da Silva C, Lee C, Solomon P. Medical Aesthetics Training: Shifting to Collective Competence. Plast Surg Nurs. 2017;37(3):103–8. Disponible a: <https://nursing.ceconnection.com/ovidfiles/00006527-201707000-00005.pdf>

129. Fernanda Voes C, Vinicius Kleinpaul W, Rodolpho Petry A. Esthetic plastic surgery: Experiences concerning corporal (re) constructions and implications for nursing. Rev da Rede Enferm do Nord. 2015;16(2):185–93. Disponible a: <http://www.periodicos.ufc.br/rene/article/view/2704/2089>
130. Fletcher L. How can aesthetic nurses make the initial consultation with a patient effective? J Aesthetic Nurs. 2015;4(10):520.
131. Gorbis EDA, Kim C. Body dysmorphic disorder and addiction to medical aesthetic procedures. J Aesthetic Nurs. 2017;6(9):472–5.
132. Greveson K. Fundamental aspects of advanced nursing practice in the field of medical aesthetics. J Aesthetic Nurs. 2013;2(7):334–7. Disponible a: https://www.researchgate.net/publication/257007643_Fundamental_aspects_of_advanced_nursing_practice_in_the_field_of_medical_aesthetics
133. Hotta TA. Aesthetic Providers--Are We Caring for Patients or Clients? Plast Surg Nurs. 2017;37(1):1–3.
134. Jonniaux S, Hof F, Dufour O. Body image disturbance, nursing objectives and interventions. Soins. 2013;58(776):16–20.
135. Jonniaux S, Hof F, Dufour O. Disturbed body image, favouring clinical practice centred on the patient. Soins. 2013;(775):27–30.
136. Klinke ME, Thorsteinsson B, Jónsdóttir H. Advancing Phenomenological Research: Applications of “Body Schema,” “Body Image,” and “Affordances” in Neglect. Qual Health Res. 2014;24(6):824–36.
137. Lööf H, Johansson U-B, Henriksson EW, Lindblad S, Saboonchi F.. J Adv Nurs. 2013;69(7):1643–51. Disponible a: <https://onlinelibrary.wiley.com/doi/epdf/10.1111/jan.12020>
138. Luckman M. Avoiding litigation: what aesthetic nurses need to know about clinical negligence. J Aesthetic Nurs. 2014;3(3):136–7.
139. Marujo Nunes da Fonseca PI, Ferreira Eleutério R, Mara de Melo Tavares C, Carvalho JC. The power of aesthetic experimentation in the process of self-knowledge: a sociopoetic study. Online Brazilian J Nurs. 2017;16(1):73–82. Disponible a: https://www.objnursing.uff.br/index.php/nursing/article/view/5904/pdf_2
140. Mehta T, Swaminathan V. Regulation in the aesthetics sector: is it all just politics and confusion? J Aesthetic Nurs. 2016;5(3):154.
141. Moreno-Chamorro D. Taking control: what higher education pathways are there for aesthetic nurses? J Aesthetic Nurs. 2012;1(6):314–6.
142. Mousazadeh S, Rakhshan M, Mohammadi F. Investigation of Content and Face Validity and Reliability of Sociocultural Attitude towards Appearance Questionnaire-3 (SATAQ-3) among Female Adolescents. Iran J Psychiatry. 2017;12(1):15–20. Disponible a: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5425347/>
143. Price B. Enabling patients to manage altered body image. Nurs Stand. 2016;31(16–18):60–71.

144. Radmehr M, Ashktorab T. Development and Psychometric Evaluation of the Esthetics of Nursing Care Scale. *Nurs Midwifery Stud.* 2017;6(4):174–81. Disponible a: <http://www.nmsjournal.com/article.asp?issn=2322-1488;year=2017;volume=6;issue=4;spage=174;epage=181;aulast=Radmehr>
145. Rankin A. Prescribing in medical aesthetics: Good professional practice. *Nurse Prescr.* 2013;11(2):93–6.
146. Rankin A. Shaping the future of medical aesthetics: consultations and new developments. *J Aesthetic Nurs.* 2017;6(9):496.
147. Russell N. Exploring the role of the aesthetic nurse in public health and patient education. *J Aesthetic Nurs.* 2013;2(4):174–7.
148. Scanlon C. Where should aesthetic nurses practise? An evaluation of national health guidelines. *J Aesthetic Nurs.* 2014;3(2):74–7.
149. Senior AMY. Why has prescribing become such a taboo topic in medical aesthetics? *J Aesthetic Nurs.* 2017;6(7):379.
150. Spurr S, Berry L, Walker K. Exploring adolescent views of body image: The influence of media. *Issues Compr Pediatr Nurs.* 2013;36(1-2):17-36.
151. Taber S, Barton C. Accreditation: what is its true meaning and how does it apply to aesthetics? *J Aesthetic Nurs.* 2016;5(1):34–6.
152. Turner Traill F. National recognition of aesthetic nurses and revalidation roadshows. *J Aesthetic Nurs.* 2016;5(2):94.
153. Ben Saad M, Spindler C, Tidière M, Wagner V, Wintz L. Nursing care in reconstructive surgery in cases of head and neck cancer. *Soins.* 2015;60(798):39–42.
154. Bouguila J, Ho Quoc C, Viard R, Brun A, Voulliaume D, Comparin J-P, et al. Nose burns: 4-dimensional analysis. *Eur Ann Otorhinolaryngol Head Neck Dis.* 2017;134(5):333–7.
155. Copelli C, Tewfik K, Cassano L, Pederneschi N, Catanzaro S, Manfuso A, et al. Management of free flap failure in head and neck surgery. *Acta Otorhinolaryngol Ital.* 2017;37(5):387–92. Disponible a: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5720866/>
156. Harris BN, Tollefson TT. Facial reanimation: evolving from static procedures to free tissue transfer in head and neck surgery. *Curr Opin Otolaryngol Head Neck Surg.* 2015;23(5):399–406. Disponible a: <https://escholarship.org/uc/item/4ss2b7dr>
157. Kose G, Tastan S, Kutlay M, Bedir O. The effects of different types of hair shaving on the body image and surgical site infection in elective cranial surgery. *J Clin Nurs.* 2016;25(13–14):1876–85.
158. Liu X, Nelemans PJ, Van Winden M, Kelleners-Smeets NWJ, Mosterd K. Reliability of the Patient and Observer Scar Assessment Scale and a 4-point scale in evaluating linear facial surgical scars. *J Eur Acad Dermatology Venereol.* 2017;31(2):341–6.
159. McCormick ME, Ward E, Roberson DW, Shah RK, Stachler RJ, Brenner MJ. Life after Tracheostomy: Patient and Family Perspectives on Teaching, Transitions, and Multidisciplinary Teams. *Otolaryngol Head Neck Surg.* 2015;153(6):914–20.

160. Mostardeiro SCT de S, Terra MG, Silva AA da, Soccol KLS, Souto VT. Ambulatory nursing care to patients with facial image change. *J Nurs UFPE / Rev Enferm UFPE*. 2014;8(1):114–20. Disponible a: <https://periodicos.ufpe.br/revistas/revistaenfermagem/article/view/9613/9589>
161. Ramos RR, Ferreira LM. Sub fascial flap based on the supraclavicular artery in reconstruction of neck burn contractures. *Burns*. 2017;43(5):e1–4.
162. Taylor S. The psychological and psychosocial effects of head and neck cancer. *Cancer Nurs Pract*. 2016;15(9):33–7.
163. Martin Espinosa NM, Piriz-Campos RM. Sequelae in patients with severe burns. *Rev Enferm*. 2014;37(2):28–37. Disponible a: http://www.e-rol.es/biblioonline/revistas/2014/02/28_Secuelas.pdf
164. Shepherd L, Begum R. Helping burn patients to look at their injuries: How confident are burn care staff and how often do they help? *Burns*. 2014;40(8):1602–8.
165. Alexiades M. Laser and light-based treatments of acne and acne scarring. *Clin Dermatol*. 2017;35(2):183–9.
166. Pfaff S, Liebmann J, Born M, Merk HF, von Felbert V. Prospective Randomized Long-Term Study on the Efficacy and Safety of UV-Free Blue Light for Treating Mild Psoriasis Vulgaris. *Dermatology*. 2015;231(1):24–34.
167. Yadav A, Gupta A. Noninvasive red and near-infrared wavelength-induced photobiomodulation: promoting impaired cutaneous wound healing. *Photodermatol Photoimmunol Photomed*. 2017;33(1):4–13. Disponible a: <https://onlinelibrary.wiley.com/doi/epdf/10.1111/phpp.12282>
168. Bowes L. Integrating topical peptides into aesthetic practice and skin care routines. *J Aesthetic Nurs*. 2013;2(1):27–31.
169. Brennan C. Upper facial rejuvenation: the role of surgical and non-surgical interventions. *J Aesthetic Nurs*. 2016;5(2):60–8.
170. Brennan C. Stop “Cruising for a Bruising.” *Plast Surg Nurs*. 2014;34(2):75–9.
171. Chou Y-H, Lin H-C. A Nursing Experience of a Severe Psoriasis Patient Receiving Biological Agent Treatment. *Tzu Chi Nurs J*. 2017;16(2):93–102.
172. Conroy F. Treatment of benign pigmented lesions: understanding different types of laser. *J Aesthetic Nurs*. 2017;6(6):280–3.
173. Desmedt B, Courseselle P, De Beer JO, Rogiers V, Grosber M, Deconinck E, et al. Overview of skin whitening agents with an insight into the illegal cosmetic market in Europe. *J Eur Acad Dermatology Venereol*. 2016;30(6):943–50.
174. Fathi R, Pfeiffer ML, Tsoukas M. Minimally invasive eyelid care in dermatology: Medical, laser, and cosmetic therapies. *Clin Dermatol*. 2015;33(2):207–16.
175. Fromage G. Hyaluronic acid: essential properties and considerations for aesthetic practice. *J Aesthetic Nurs*. 2014;3(Sup8): S24-S27.
176. Geddes K. Age-related changes in the menopausal woman: the role of hormones in the skin. *J Aesthetic Nurs*. 2016;5(3):120–5.

177. Goman T. How can camouflage help with long-term skin problems? J Community Nurs. 2016;30(5):55–9. Disponible a: http://skincamouflage-bristol.co.uk/wp-content/uploads/2016/11/Tonia_Goman_Dermatology_Aug_6.pdf
178. Hubbard KE V. Wrinkle reduction: what are the main treatment options available to patients? J Aesthetic Nurs. 2017;6(7):342–50.
179. Landau M. Photodamage can be prevented and treated successfully in aesthetic practice. J Aesthetic Nurs. 2017;6(6):292–6.
180. Lavers I. Topical and systemic interventions for the treatment of rosacea. J Aesthetic Nurs. 2015;4(9):426–32.
181. Manning V. Facial enhancement starts with skin rejuvenation and maintenance. J Aesthetic Nurs. 2016;5(4):170–3.
182. Martin C, Bonas S, Shepherd L, Hedges E. The experience of scar management for adults with burns: An interpretative phenomenological analysis. Burns. 2016;42(6):1311–22.
183. Molina B. Tridimensional mid-face rejuvenation using hyaluronic acid dermal fillers. J Aesthetic Nurs. 2016;5(4):182–8.
184. Numata T, Tobita R, Tsuboi R, Okubo Y. Contact dermatitis caused by arbutin contained in skin-whitening cosmetics. Contact Dermatitis. 2016;75(3):187–8.
185. Padilla-España L, Ramírez-López B, Fernández-Sánchez E. Utilidad del maquillaje terapéutico en niños con vitíligo en un taller coordinado por Enfermería de dermatología. Enferm Clin 2014;24(3):196–9.
186. Peltzer K, Pengpid S, James C. The globalization of whitening: prevalence of skin lighteners (or bleachers) use and its social correlates among university students in 26 countries. Int J Dermatol. 2016;55(2):165–72.
187. Shah RB, Thompson AR, Hunt J. Introduction To the PsychoSocial Impact and Psychological Treatment of Vitiligo. Dermatological Nurs. 2013;12(2):51–4. Disponible a: http://www.bjmhr.com/download.php?filename=bjmhr_admin/uploads/publish_pdf/87_1463719977-302001.pdf&split=32&art_map_id=87
188. Sonthalia S, Daulatabad D, Sarkar R. Glutathione as a skin whitening agent: Facts, myths, evidence and controversies. Indian J Dermatol Venereol Leprol. 2016;82(3):262-72. Disponible a: <http://www.ijdvl.com/article.asp?issn=0378-6323;year=2016;volume=82;issue=3;spage=262;epage=272;aulast=Sonthalia>
189. Soos E, Clond M. Hot and cold: a comparison of modalities for non-invasive body contouring. J Aesthetic Nurs. 2016 Apr;5(3):112–8.
190. Surber C, Kottner J. Skin care products: What do they promise, what do they deliver. J Tissue Viability. 2017;26(1):29–36.
191. Swaminathan V. Polydioxanone thread lifting: considerations and patient expectations. J Aesthetic Nurs. 2016 Mar;5(2):70–73.

192. Thappa D, Malathi M. Systemic skin whitening/lightening agents: What is the evidence? Indian J Dermatol Venereol Leprol. 2013;79(6):842-6. Disponible a: <http://www.ijdvl.com/article.asp?issn=0378-6323;year=2013;volume=79;issue=6;spage=842;epage=846;aulast=Malathi>
193. Throns M, Treacy P, Amoros A, Aramideh M, Ferguson L, Maloney M, et al. Should intravenous vitamin therapy be administered in aesthetic clinics? J Aesthetic Nurs. 2015;4(2):74-8.
194. Van Onselen J. Psoriasis: exploring the associated clinical issues and how to support your patients. J Aesthetic Nurs. 2013;2(3):111-7.
195. Van Onselen J. Photodermatoses: identifying abnormal skin reactions to ultraviolet radiation. J Aesthetic Nurs. 2017;6(10):530-7.
196. Dönmez AA, Kapucu S. The effectiveness of a clinical and home-based physical activity program and simple lymphatic drainage in the prevention of breast cancer-related lymphedema: A prospective randomized controlled study. Eur J Oncol Nurs. 2017;31:12-21.
197. Fetzer A, Wise C. Living with lipoedema: reviewing different self-management techniques. Br J Community Nurs. 2015;Suppl Chronic(Sup10):S14, S16-9.
198. Komatsu E, Nakajima Y, Mukai K, Urai T, Asano K, Okuwa M, et al. Lymph Drainage During Wound Healing in a Hindlimb Lymphedema Mouse Model. Lymphat Res Biol. 2017;15(1):32-8.
199. Loskotová A, Loskotová J, Suchanek I, Brychta P, Lipový B. Myofascial-manual lymphatic drainage for burn trauma: a service evaluation. Br J Community Nurs. 2017;22 Suppl 5(Sup5):S6-12.
200. Ridner SH, Poage-Hooper E, Kanar C, Doersam JK, Bond SM, Dietrich MS. A pilot randomized trial evaluating low-level laser therapy as an alternative treatment to manual lymphatic drainage for breast cancer-related lymphedema. Oncol Nurs Forum. 2013;40(4):383-93. Disponible a: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3887507/>
201. Tacani PM, Franceschini JP, Tacani RE, Machado AFP, Montezello D, Góes JCGS, et al. Retrospective study of the physical therapy modalities applied in head and neck lymphedema treatment. Head Neck. 2016;38(2):301-8.
202. Zhang L, Fan A, Yan J, He Y, Zhang H, Zhang H, et al. Combining Manual Lymph Drainage with Physical Exercise after Modified Radical Mastectomy Effectively Prevents Upper Limb Lymphedema. Lymphat Res Biol. 2016;14(2):104-8. Disponible a: <https://www.liebertpub.com/doi/full/10.1089/lrb.2015.0036>
203. Brackenbury J. Beautification or distortion? Tackling the lip augmentation phenomenon. J Aesthetic Nurs. 2016 Mar;5(2):74-7.
204. Collier H. Should aesthetic nurses be performing polydioxanone thread lifting? J Aesthetic Nurs. 2014;3(3):128-32.
205. Cowdell F, Garrett D. Older people and skin: challenging perceptions. Br J Nurs. 2014;23(12):S4-8.
206. Harrison J. CE. Advances in Aesthetic Therapies: Plasma-Rich Protein Procedure for the Treatment of Alopecia. Plast Surg Nurs. 2017;37(2):52-5.

207. Hotta TA. Understanding the anatomy of the upper face when providing aesthetic injection treatments. *Plast Surg Nurs.* 2016;36(3):104–9. Disponible a: <http://nursing.ceconnection.com/ovidfiles/00006527-201607000-00006.pdf>
208. Lavers I. Management of post-acne scarring in the medical aesthetic clinic. *J Aesthetic Nurs.* 2016;5(1):16–21.
209. Loughran E. An overview of body sculpting in medical aesthetic practice using cryolipolysis. *J Aesthetic Nurs.* 2014;3(8):386–9.
210. McEnroe L, Kelly B. Needlestick injuries in the aesthetic clinic: risk of exposure and prevention. *J Aesthetic Nurs.* 2017;6(10):538–42.
211. Mendes A. American aesthetics: a less united state. *J Aesthetic Nurs.* 2015;4(1):28–9.
212. Shridharani S, Broyles J, Matarasso A. Liposuction devices: technology update. *Med Devices Evid Res.* 2014;7:241–51. Disponible a: <https://www.dovepress.com/liposuction-devices-technology-update-peer-reviewed-fulltext-article-MDER>
213. Tinsbloom B, Muckier VC, Stoeckel WT, Whitehurst RL, Morgan B. Evaluating the Implementation of a Preemptive, Multimodal Analgesia Protocol in a Plastic Surgery Office. *Plast Surg Nurs.* 2017 Oct/Dec;37(4):137–43. Disponible a: https://nursing.duke.edu/sites/default/files/media/main/manuscript_plastic_surgery.pdf
214. Ang SG, Chen HC, Siah RJ, He HG, Klainin-Yobas P. Stressors Relating to Patient Psychological Health Following Stoma Surgery: An Integrated Literature Review. *Oncol Nurs Forum.* 2013;40(6):587–94. Disponible a: <https://dokumen.tips/documents/stressors-relating-to-patient-psychological-health-following-stoma-surgery.html>
215. Brown F. Psychosocial health following stoma formation: a literature review. *Gastrointest Nurs.* 2017;15(3):43–9.
216. Fernandes Costa IK, Márjore Dantas Liberato, S., Souza Freitas L, Dantas Medeiros Melo, M., Fernandes de Sena J, de Medeiros LP. Body image distortion: Nursing diagnosis and defining characteristics in ostomized patients. *Aquichan.* 2017;17(3):270–83.
217. Houston N. Reflections on body image and abdominal stomas. *J Stomal Ther Aust.* 2017;37(3):8–12.
218. Hueso-Montoro C, Bonill-de-las-Nieves C, Celadrán-Mañas M, Hernández-Zambrano SM, Amezcu-Martínez M, Morales-Asencio JM. Experiences and coping with the altered body image in digestive stoma patients. *Rev Lat Am Enfermagem.* 2016;24:e2840. Disponible a: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5171781/pdf/0104-1169-rlae-24-02840.pdf>
219. Kuo CL, Ko HF, Wang CH. A Nursing Experience of Applying Roy's Adaptation Model on a Patient with Permanent Colostomy Surgery. *Tzu Chi Nurs J.* 2017;16(2):103–13.
220. Moraes A, Balbino C, Silvino Z, Passos J. Apoyo emocional realizado por enfermeiro ao paciente ostomizado. *Port J Ment Heal.* 2016;4:49–56. Disponible a: <http://www.scielo.mec.pt/pdf/rpesm/nspe4/nspe4a08.pdf>
221. Perez Merino R. Use of stoma accessories in preserving self-image and self-esteem. *Br J Nurs.* 2015;24:S27.

222. Ponce Gómez G, Carmona Mejía B, Huerta González S. Tener una colostomia: transformación de la corporalidad. *Cult los Cuid.* 2017;21(48):23–32. Disponible a: https://rua.ua.es/dspace/bitstream/10045/69269/1/CultCuid_48_03.pdf
223. Buetow S, Wallis K. The Beauty in Perfect Imperfection. *J Med Humanit.* 2017 Dec.
224. Rockingham L. Ethical aspects of nurses' thought "too fat to care". *Nurs Ethics.* 2016 Feb;23(1):117–20. Disponible a: <http://journals.sagepub.com/doi/pdf/10.1177/0969733015601273>
225. Spriggs M, Gillam L. Body Dysmorphic Disorder: Contraindication or Ethical Justification for Female Genital Cosmetic Surgery in Adolescents. *Bioethics.* 2016;30(9):706–13.
226. Wondergem F. Ethics in non-surgical aesthetic medicine: practising safely and appropriately. *J Aesthetic Nurs.* 2017;6(9):486–9.
227. Wong WW, Camp MC, Camp JS, Gupta SC. The quality of internet advertising in aesthetic surgery: An in-depth analysis. *Aesthetic Surg J.* 2010;30(5):735–43. Disponible a: <https://academic.oup.com/asj/article/30/5/735/255859>
228. Yang W-I. The Aesthetic Practice of Care Ethics. *J Nurs.* 2013 Aug;60(4):9–13.
229. Al-Niaimi F. Laser and energy-based devices complications in dermatology. *J Cosmet Laser Ther.* 2015;18(1):25–30.
230. Annabathula A, Sekar Cs, Srinivas C. Fractional carbon dioxide, long pulse Nd:YAG and pulsed dye laser in the management of keloids. *J Cutan Aesthet Surg.* 2017;10(2):76–80. Disponible a: <http://www.jcasonline.com/article.asp?issn=0974-2077;year=2017;volume=10;issue=2;spage=76;epage=80;aulast=Annabathula>
231. Azevedo LH, Migliari D. Management of an Extensive Vascular Lesion on the Lip by Photocoagulation with High-Intensity Diode Laser. *Open Dent J.* 2017;11(1):242–6. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5447906/>
232. Bakhshi M, Rahmani S, Rahmani A. Lasers in esthetic treatment of gingival melanin hyperpigmentation: a review article. *Lasers Med Sci.* 2015;30(8):2195–203.
233. Fernandez AA, França K, Chacon AH, Nouri K. From flint razors to lasers: a timeline of hair removal methods. *J Cosmet Dermatol.* 2013;12(2):153–62.
234. Gan SD, Gruber EM. Laser Hair Removal: A Review. *Dermatol Surg.* 2013;39(6):823–38.
235. Hersant B, SidAhmed-Mezi M, Chossat A, Meningaud JP. Multifractional microablative laser combined with spacially modulated ablative (SMA) technology for facial skin rejuvenation. *Lasers Surg Med.* 2017;49(1):78–83.
236. Kauvar ANB. Fractional Nonablative Laser Resurfacing. *Dermatol Surg.* 2014;40 Suppl:S157–63.
237. Khan MAA, Javed AA, Govindan KS, Rafiq S, Thomas K, Baker L, et al. Control of hair growth using long-pulsed alexandrite laser is an efficient and cost effective therapy for patients suffering from recurrent pilonidal disease. *Lasers Med Sci.* 2016;31(5):857–62.

238. Kim D-W, Hwang N-H, Yoon E-S, Dhong E-S, Park S-H. Outcomes of ablative fractional laser scar treatment. *J Plast Surg Hand Surg.* 2015;49(2):88–94.
239. Lopez JJ, Cooper JN, Fischer BA, Gonzalez DO, Deans KJ, Minneci PC. Safety and Tolerability of Laser Hair Depilation in Pilonidal Disease: A Pilot Study. *Surg Infect (Larchmt).* 2017;18(8):890–3. A
240. Nestor M, Andriessen A, Berman B, Katz BE, Gilbert D, Goldberg DJ, et al. Photobiomodulation with non-thermal lasers: Mechanisms of action and therapeutic uses in dermatology and aesthetic medicine. *J Cosmet Laser Ther.* 2017;19(4):190–8.
241. Omi T. Static and dynamic modes of 810 nm diode laser hair removal compared: A clinical and histological study. *Laser Ther.* 2017;26(1):31–7. Disponible a: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5515709/>
242. Petrov A, Pljakovska V. Fractional Carbon Dioxide Laser in Treatment of Acne Scars. Open Access Maced J Med Sci. 2016;4(1):38-42. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4884248/#>
243. Petti C, Stoneburner J, McLaughlin L. Laser cellulite treatment and laser-assisted lipoplasty of the thighs and buttocks: Combined modalities for single stage contouring of the lower body. *Lasers Surg Med.* 2016;48(1):14–22.
244. Pozner JN, DiBernardo BE. Laser Resurfacing. *Clin Plast Surg.* 2016;43(3):515–25.
245. Wenande E, Erlendsson AM, Haedersdal M. Opportunities for laser-assisted drug delivery in the treatment of cutaneous disorders. *Semin Cutan Med Surg.* 2017;36(4):192–201.
246. Choi HJ, Shin SH. Effects of a Facial Muscle Exercise Program including Facial Massage for Patients with Facial Palsy. *J Korean Acad Nurs.* 2016;46(4):542-51. <https://www.ikan.or.kr/Synapse/Data/PDFData/0006JKAN/ikan-46-542.pdf>
247. Garakyaraghi M, Givi M, Moeini M, Eshghinezhad A. Qualitative study of women's experience after therapeutic massage. *Iran J Nurs Midwifery Res.* 2014;19(4):390–5. <http://ijnmr.mui.ac.ir/index.php/ijnmr/article/view/1053/769>
248. Ho SSM, Kwong ANL, Wan KWS, Ho RML, Chow KM. Experiences of aromatherapy massage among adult female cancer patients: A qualitative study. *J Clin Nurs.* 2017;26(23–24):4519–26.
249. Vancampfort D, Vanderlinden J, De Hert M, Soundy A, Adámkova M, Skjaerven LH, et al. A systematic review of physical therapy interventions for patients with anorexia and bulimia nervosa. *Disabil Rehabil.* 2014;36(8):628–34.
250. Westman KF, Blaisdell C. Many Benefits, Little Risk: The Use of Massage in Nursing Practice. *AJN, Am J Nurs.* 2016;116(1):34–9; quiz 40-1. <http://nursing.ceconnection.com/ovidfiles/00000446-201601000-00021.pdf>
251. Abuaf OK, Yildiz H, Baloglu H, Bilgili ME, Simsek HA, Dogan B. Histologic Evidence of New Collagen Formulation Using Platelet Rich Plasma in Skin Rejuvenation: A Prospective Controlled Clinical Study. *Ann Dermatol.* 2016;28(6):718-724. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5125953/>
252. Chilicka K, Maj J, Panaszek B. General quality of life of patients with acne vulgaris before and after performing selected cosmetological treatments. Patient Prefer Adherence. 2017; 11:1357–61. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5553351/>

253. Córdoba S, Rojas E, Garrido-Ríos A, Borbujo J. Reacción local intensa en zonas de inyección de mesoterapia lipolítica. *Actas Dermosifiliogr.* 2017;108(10):958–9.
254. Dalens M, Prikhnenko S. Polycomponent mesotherapy formulations for the treatment of skin aging and improvement of skin quality. *Clin Cosmet Investig Dermatol.* 2015;8:151–7. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4396578/>
255. Hersant B, SidAhmed-Mezi M, Niddam J, La Padula S, Noel W, Ezzedine K, et al. Efficacy of autologous platelet-rich plasma combined with hyaluronic acid on skin facial rejuvenation: A prospective study. *J Am Acad Dermatol.* 2017;77(3):584–6. [https://www.jaad.org/article/S0190-9622\(17\)31769-3/pdf](https://www.jaad.org/article/S0190-9622(17)31769-3/pdf)
256. Lee JC, Daniels MA, Roth MZ. Mesotherapy, Microneedling, and Chemical Peels. *Clin Plast Surg.* 2016;43(3):583–95.
257. Mammucari M, Gatti A, Maggiori E, Vergari B, Gafforio P, Tufaro G, et al. Informed consent and experimental treatments: the case of mesotherapy. *Recenti Prog Med.* 2013;104(5):214–7.
258. Savoia A, Landi S, Baldi A. A New Minimally Invasive Mesotherapy Technique for Facial Rejuvenation. *Dermatol Ther (Heidelb).* 2013;3(1):83–93. Disponible a: <https://link.springer.com/content/pdf/10.1007%2Fs13555-012-0018-2.pdf>
259. Sylwia M, Krzysztof MR. Efficacy of intradermal mesotherapy in cellulite reduction – Conventional and high-frequency ultrasound monitoring results. *J Cosmet Laser Ther.* 2017;19(6):320–4.
260. Zaragoza J, Delaplace M, Benamara M, Estève É. Un effet indésirable rare de la mésothérapie : la dermite de Nicolau. *Ann Dermatol Venereol.* 2013;140(11):713–7.
261. Carney MJ, Weissler JM, Sauler M, Serletti JM. Looking Beyond the Knife: Establishing a Framework for Micropigmentation following Breast Reconstruction. *Plast Reconstr Surg.* 2017;140(1):243e–244e. Disponible a: https://journals.lww.com/plasreconsurg/Fulltext/2017/07000/Looking_Beyond_the_Knife_Establishing_a.70.aspx
262. Francis A, Criton S, Shojan A, Philip R. Micropigmentation in vitiligo of lateral lower lip. *J Cutan Aesthet Surg.* 2013;6(4):236–7. Disponible a: <http://www.jcasonline.com/article.asp?issn=09742077;year=2013;volume=6;issue=4;spage=236;epage=237;aulast=Francis>
263. Mikelatou EG. Permanent make-up through micropigmentation. *Ep Klin Farmakol kai Farmakokinet.* 2015;33(2):145–53.
264. Paik J-S, Lee Y-K, Doh S-H. A patient with combined corneal and ingrowing conjunctival tissue tattooing by micropigmentation method. *J Craniofac Surg.* 2014;25(2):e170-2.
265. Rassman WR, Pak JP, Kim J. Scalp micropigmentation: a useful treatment for hair loss. *Facial Plast Surg Clin North Am.* 2013;21(3):497–503.
266. Rassman W, Pak J, Kim J. Combining Follicular Unit Extraction and Scalp Micropigmentation for the Cosmetic Treatment of Alopecias. *Plast Reconstr surgery Glob open.* 2017;5(11):e1420. Disponible a: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5732651/>

267. Saed S, Ibrahim O, Bergfeld WF. Hair camouflage: A comprehensive review. *Int J Womens Dermatol*. 2017;3(1 Suppl):S75–80. Disponible a: <http://hairtransplantscientist.com/hair-transplant-articles/Hair-transplant-publications/Hair-camouflage-A-comprehensive-review.pdf>
268. Whitton ME, Pinart M, Batchelor J, Leonardi-Bee J, González U, Jiyad Z, et al. Interventions for vitiligo. *Cochrane database Syst Rev*. 2015;(2):CD003263. Disponible a: <http://cochranelibrary-wiley.com/doi/10.1002/14651858.CD003263.pub5/full>
269. Barlow EL, Hacker NF, Hussain R, Parmenter G. Sexuality and body image following treatment for early-stage vulvar cancer: a qualitative study. *J Adv Nurs*. 2014;70(8):1856–66. Disponible a: <https://onlinelibrary.wiley.com/doi/epdf/10.1111/jan.12346>
270. Burg AJ. Body Image and the Female Adolescent Oncology Patient. *J Pediatr Oncol Nurs*. 2016;33(1):18–24. Disponible a: <http://journals.sagepub.com/doi/pdf/10.1177/1043454214563759>
271. Chan J-C, Liao Y-C, Lee Y-H, Lai Y-H. Clinical care of lung cancer patients with body image changes after targeted therapy. *J Nurs*. 2014;61(4):90–6.
272. Cho HSM, Davis GC, Paek JE, Rao R, Zhao H, Xie X-J, et al. A randomised trial of nursing interventions supporting recovery of the postmastectomy patient. *J Clin Nurs*. 2013;22(7–8):919–29.
273. Escamilla DM, Jarrett P. The impact of weight loss on patients with cancer. *Nurs Times*. 2016;112(11):20–2.
274. Fingeret MC, Teo I, Epner DE. Managing body image difficulties of adult cancer patients: Lessons from available research. *Cancer*. 2014;120(5):633–41. Disponible a: <https://onlinelibrary.wiley.com/doi/epdf/10.1002/cncr.28469>
275. Freysteinsson WM. The “Princess Mirror”: Exemplars of the Use of the Mirror in Nursing Practice. *Nurs Forum*. 2015;50(3):158–63.
276. Freysteinsson WM, Deutsch AS, Davin K, Lewis C, Sisk A, Sweeney L, et al. The Mirror Program: Preparing Women for the Postoperative Mastectomy Mirror-Viewing Experience. *Nurs Forum*. 2015;50(4):252–7.
277. Freysteinsson WM, Lewis C, Sisk A, Wuest L, Deutsch AS, Cesario SK. Investigator reflections: a final debriefing following emotionally sensitive mirror research. *Holist Nurs Pract*. 2013;27(3):177–84.
278. Garcia SN, Coelho R de CFP, Santos PND dos, Maftum MA, Mantovani M de F, Kalinke LP. Changes in social function and body image in women diagnosed with breast cancer undergoing chemotherapy. *Acta sci, Heal sci*. 2017;39(1):57–64. Disponible a: <http://periodicos.uem.br/ojs/index.php/ActaSciHealthSci/article/view/31833/pdf>
279. Garcia SN, Jacowski M, Castro GC, Galdino C, Guimarães PRB, Kalinke LP. Quality of life domains affected in women with breast cancer. *Rev Gaúcha Enferm*. 2015;36(2):89–96. Disponible a: http://www.scielo.br/scielo.php?script=sci_arttext&pid=S1983-14472015000200089&lng=en&nrm=iso&tlng=en

280. Gómez-Campelo P, Bragado-Álvarez C, Hernández-Lloreda MJ, Sánchez-Bernardos ML. The Spanish version of the Body Image Scale (S-BIS): psychometric properties in a sample of breast and gynaecological cancer patients. *Support Care Cancer*. 2015;23(2):473–81.
281. Huang S-J. An Intensive Care Experience: An Oral Cancer Patient with Postoperative Body Image Change. *Tzu Chi Nurs J*. 2017;16(2):125–36.
282. Ishida K, Ishida J, Kiyoko K. Psychosocial reaction patterns to alopecia in female patients with gynecological cancer undergoing chemotherapy. *Asian Pac J Cancer Prev*. 2015;16(3):1225–33. Disponible a: http://journal.waocp.org/article_30578_130fd267398c05901a134ad0fb75b8a.pdf
283. Kelley K, Kim J. Human Factors Validation of the AeroForm Tissue Expander System for Breast Reconstruction. *Plast Surg Nurs*. 2017;37(3):100–2.
284. Rhoten BA. Body image disturbance in adults treated for cancer - a concept analysis. *J Adv Nurs*. 2016;72(5):1001–11. Disponible a: <https://onlinelibrary.wiley.com/doi/epdf/10.1111/jan.12892>
285. Rhoten B, Dietrich M. Recurrent head and neck cancer: body image and concerns about sexuality. *Cancer Nurs Pract*. 2017;16(5):27–33.
286. Ross M, Fischer-Cartlidge E. Scalp cooling: A literature review of efficacy, safety, and tolerability for chemotherapy-induced alopecia. *Clin J Oncol Nurs*. 2017;21(2):226–33. Disponible a: <https://cjon.ons.org/cjon/21/2-0/scalp-cooling-literature-review-efficacy-safety-and-tolerability-chemotherapy-induced>
287. Taylor C. Body image concerns after colorectal cancer surgery. *Br J Nurs*. 2015;24(10): S8, S10-2, S14.
288. van den Hurk CJ, van den Akker-van Marle ME, Breed WP, van de Poll-Franse L V., Nortier JW, Coebergh JW. Cost-effectiveness analysis of scalp cooling to reduce chemotherapy-induced alopecia. *Acta Oncol (Madr)*. 2014;53(1):80–7. Disponible a: <https://www.tandfonline.com/doi/abs/10.3109/0284186X.2013.794955?needAccess=true#aHR0cHM6Ly93d3cudGFuZGZvbmpbmUuY29tL2RvaS9wZGYvMTAuMzEwOS8wMjg0MTg2WC4yMDEzLjc5NDk1NT9uZWVkJQWNjZXNzPXRydWVAQEAv>
289. Annesi JJ, Mareno N. Improvement in emotional eating associated with an enhanced body image in obese women: mediation by weight-management treatments' effects on self-efficacy to resist emotional cues to eating. *J Adv Nurs*. 2015;71(12):2923–35. Disponible a: <https://onlinelibrary.wiley.com/doi/epdf/10.1111/jan.12766>
290. Aranda K, McGreevy D. Embodied empathy-in-action: overweight nurses' experiences of their interactions with overweight patients. *Nurs Inq*. 2014;21(1):30–8. Disponible a: <https://onlinelibrary.wiley.com/doi/epdf/10.1111/nin.12015>
291. Balaratnam S. Evolution of laser lipolysis in non-invasive fat reduction and body sculpting. *J Aesthetic Nurs*. 2017;6(9):466–71.
292. Bruce LJ, Ricciardelli LA. A systematic review of the psychosocial correlates of intuitive eating among adult women. *Appetite*. 2016;96:454–72.
293. Doumit R, Zeeni N, Sanchez Ruiz MJ, Khazen G. Anxiety as a Moderator of the Relationship Between Body Image and Restrained Eating. *Perspect Psychiatr Care*. 2016;52(4):254–64.

294. Gilmartin J. Body image concerns amongst massive weight loss patients. *J Clin Nurs.* 2013;22(9–10):1299–309.
295. Hernandez DA, Hernandez CA. Weighing in on the Body Knowledge Questionnaire. *Diabetes Educ.* 2015;41(3):369–76.
296. Jensen JF, Petersen MH, Larsen TB, Jørgensen DG, Grønbaek HN, Midtgård J. Young adult women's experiences of body image after bariatric surgery: a descriptive phenomenological study. *J Adv Nurs.* 2014;70(5):1138–49. Disponible a: <https://onlinelibrary.wiley.com/doi/epdf/10.1111/jan.12275>
297. Jones LE, Buckner E, Miller R. Chronological progression of body dissatisfaction and drive for thinness in females 12 to 17 years of age. *Pediatr Nurs.* 2014;40(1):21–5.
298. Jun M-K, Ha J-Y. Effect of Smartphone Apps Applying BodyThink Program on Obesity in Adolescent Girls. *J Korean Acad Nurs.* 2016;46(3):390-9. Disponible a: <https://www.jkan.or.kr/Synapse/Data/PDFData/0006JKAN/jkan-46-390.pdf>
299. Knutsen IR. A Discursive Look at Large Bodies—Implications for Discursive Approaches in Nursing and Health Research. *ANS Adv Nurs Sci.* 2015;38(1):45–54.
300. Lambert S. All the bodies of anorexia. *Soins Psychiatr.* 2016;37(307):13–4.
301. Lewis-Smith H, Diedrichs PC, Rumsey N, Harcourt D. A Systematic Review of Interventions on Body Image and Disordered Eating Outcomes among Women in Midlife. *Int J Eat Disord.* 2016;49(1):5–18.
302. Lindgren B-M, Enmark A, Bohman A, Lundström M. A qualitative study of young women's experiences of recovery from Bulimia Nervosa. *J Adv Nurs.* 2015;71(4):860–9. Disponible a: <https://onlinelibrary.wiley.com/doi/epdf/10.1111/jan.12554>
303. Mareno N, Annesi JJ. A statement synthesis of emotional eating and body size recognition: advancing nursing science related to obesity research. *J Adv Nurs.* 2016;72(5):1023–9. Disponible a: <https://onlinelibrary.wiley.com/doi/epdf/10.1111/jan.12907>
304. Rouet Goral E. Nursing care of body image disorders. *Soins Psychiatr.* 2016;37(307):44–6.
305. Santos do Nascimento Rodrigues R, de Souza Cavalcanti AMT, Marques da Silva T. Nursing diagnoses in overweight adolescents. *Rev da Rede Enferm do Nord.* 2013;14(1):187–98. Disponible a: <http://www.periodicos.ufc.br/rene/article/view/3356/2594>
306. Satori N. Toucher thérapeutique et anorexie mentale. *Soins Psychiatr.* 2016;37(306):12–6.
307. Sutton SM, Magwood GS, Nemeth LS, Jenkins CM. Conceptual Model of Weight Management in Overweight and Obese African-American Females. *Nurs Forum.* 2017;52(2):73–87.
308. Veerman E. Supporting women with a negative body image. *Pract Nurs.* 2013;24(May):137–40.
309. Brenndorfer M. ...or stretched ear piercings? *Nurs NZ.* 2015;21(9):3.
310. Crowther A, Kornhaber R, Velander F, Drummond S, Cleary M. Exploring the Motivations for Body Piercing: A Pilot Study. *Issues Ment Health Nurs.* 2017;38(8):682–3.

311. Martínez Villegas I, Roman Hernandez J, Iñigo Espinosa MT. "I know it has infected the piercing, what do I do?" Nursing attention to the complications of technologies of cutaneous perforation "piercing" in a service of urgencies. Ciberrevista Enfermeriadeurgencias.com. 2013;(29):95–111. Disponible a: <http://www.enfermeriadeurgencias.com/ciber/enero2013/pagina9.html>
312. O'Malley P. Tattoos and piercings: Reasons, risks, and reporting: Update for the clinical nurse specialist. Clin Nurse Spec. 2013;27(1):14–6.
313. Smith FD. Caring for Surgical Patients With Piercings. AORN J. 2016;103(6):583–96.
314. Van Hoover C, Rademayer CA, Farley CL. Body Piercing: Motivations and Implications for Health. J Midwifery Women's Heal. 2017;62(5):521–30.
315. Bazzocchi G, Giuberti R. Irrigation, lavage, colonic hydrotherapy: from beauty center to clinic? Tech Coloproctol. 2017;21(1):1–4. Disponible a: <https://link.springer.com/content/pdf/10.1007%2Fs10151-016-1576-6.pdf>
316. Chuangsawanich A, Arunakul S, Kamnerdnakta S. The Efficacy of Combined Herbal Extracts Gel in Reducing Scar Development at a Split-Thickness Skin Graft Donor Site. Aesthetic Plast Surg. 2013;37(4):770–7.
317. Embong NH, Soh YC, Ming LC, Wong TW. Perspectives on reflexology: A qualitative approach. J Tradit Complement Med. 2016;7(3):327–31. Disponible a: https://ac.els-cdn.com/S2225411016302589/1-s2.0-S2225411016302589-main.pdf?_tid=4acecd5d-3891-477a-a721-6b0f06d260ca&acdnat=1526405532_32928270794f0231d94dc3ad414c557e
318. Erinoso SM, Fawibe OO, Oyelakin AS, Ajiboye AA, Agboola DA. Herbal recipes used for the traditional management of infantile dermatitis in Odeda, southwestern Nigeria. African J Tradit Complement Altern Med. 2016;13(3):33–43. Disponible a: <http://journals.sfu.ca/africanem/index.php/ajtcam/article/view/3894/2382>
319. Geisler C, Cheung C, Johnson Steinhagen S, Neubeck P, Brueggeman AD. Nurse practitioner knowledge, use, and referral of complementary/alternative therapies. J Am Assoc Nurse Pract. 2015;27(7):380–8.
320. Heppt M, Breuninger H, Reinholtz M, Feller-Heppt G, Ruzicka T, Gauglitz G. Current Strategies in the Treatment of Scars and Keloids. Facial Plast Surg. 2015;31(4):386–95.
321. Mohan A, Lahiri A. Herbal Medications and Plastic Surgery: A Hidden Danger. Aesthetic Plast Surg. 2014;38(2):479–81.
322. Ramírez Hernández J, Bonete Pérez MJ, Martínez Espinosa RM. Propuesta de una nueva clasificación de los oligoelementos para su aplicación en nutrición, oligoterapia, y otras estrategias terapéuticas. Nutr Hosp. 2014;31(3):1020–33. Disponible a: https://rua.ua.es/dspace/bitstream/10045/48085/1/2015_Ramirez_et.al_Nutr-Hosp.pdf
323. Shcherbo P, Khachaturyan MR. The role of gastrointestinal tract correction in increasing effectiveness of treatment and prevention of skin pathology. Hum Ecol Russian Fed. 2016;(8):45–52. Disponible a: <http://docplayer.ru/65990227-P-shcherbo-m-r-khachaturyan.html>
324. Tyndorf M, Kozakiewicz M, Winerowicz J. Lymphatic kinesiology taping technique as the method of treatment against the swelling of a face after surgeries in the craniofacial area – Preliminary report. Fizjoterapia Pol. 2016;16(1):88–98.

325. Ye Q, Wang S-J, Chen J-Y, Rahman K, Xin H-L, Zhang H. Medicinal Plants for the Treatment of Hypertrophic Scars. Evidence-based Complement Altern Med. ;2015:1–15. Disponible a: <https://www.hindawi.com/journals/ecam/2015/101340/>
326. Allen D. Moving the Needle on Recovery From Breast Cancer: The Healing Role of Postmastectomy Tattoos. JAMA J Am Med Assoc. 2017;317(7):672–4.
327. Bergevin RC. Tattooing: Points to consider. Nursing (Lond). 2016;46(7):68.
328. Caldeira S, Lourenço M, Vidal T, Figueiredo AS. Tattoo or no tattoo? A contemporary ethical issue in nursing education. Nurs Ethics. 2017;24(5):626–8.
329. de Sousa KS, Martins ERC, Costa CMA, Spindola T, Ramos RCA, de Barros AS. Biosecurity knowledge and practices among tattooists: The nurse's contribution. Rev Enferm. 2016;24(4):e23694.
330. Di Scala N. Laser tattoo removal: the importance of preparing the skin before treatment. J Aesthetic Nurs. 2016;5(1):37–8.
331. DiCenso D, Fischer-Cartlidge E. Nipple-Areola Tattoos: Making the Right Referral. Oncol Nurs Forum. 2015;42(6):E376-81.
332. Dunn D. Body Art and the Perioperative Process. AORN J. 2016;104(4):326–340.e4.
333. Eriksson H, Christiansen M, Holmgren J, Engström A, Salzmann-Erikson M. Nursing under the skin: a netnographic study of metaphors and meanings in nursing tattoos. Nurs Inq. 2014;21(4):318–26. Disponible a: <https://onlinelibrary.wiley.com/doi/epdf/10.1111/nin.12061>
334. Harrison J. Manuka Honey: A Case Study of Severe Atopic Eczematous Dermatitis Reaction to Henna Tattoo. Plast Surg Nurs. 2017;37(4):154–7.
335. Kim SY. A study on adult women's cosmetic tattoo experiences and comparison of health concern and health practice between the cosmetic tattooed and non-cosmetic tattooed groups. J Korean Acad Community Heal Nurs. 2017;28(1):69–77. Disponible a: <https://synapse.koreamed.org/Synapse/Data/PDFData/0200JKACHN/jkachn-28-69.pdf>
336. Kluger N. Contraindications for tattooing. Curr Probl Dermatol. 2015;48:76–87.
337. Lagaac R, Meruz R, Goh MA. Tattoo of vascular cannulation site as a self-cannulation aid. J Ren Care. 2015;41(2):140–2.
338. Rostron A, Cox-Davenport RA, Shepherd R. Aftercare Should Not be an Afterthought: Current Tattoo Aftercare Methods. J Dermatol Nurses Assoc. 2015;7(4):203-204.
339. Arias L. Advanced botulinum toxin injection techniques for lower facial correction. J Aesthetic Nurs. 2015;4(9):440–8.
340. Ashford S, Breckenridge S, Nyein K. Supplementary prescribing for spasticity management. Nurse Prescr. 2014;12(9):457–63.
341. Baker A. The use of hyaluronidase in aesthetic medicine: a literature review. J Aesthetic Nurs. 2016;5(3):129–32.
342. Bardsley A. The non-medical prescribing course: essential considerations for aesthetic nurses. J Aesthetic Nurs. 2013;2(2):90–3.

343. Bass Kaplan J. Consideration of Muscle Depth for Botulinum Toxin Injections: A Three-Dimensional Approach. *Plast Surg Nurs.* 2017;37(1):32–8.
344. Bowes L, Turner Traill F. Chemical peels: identifying patient-specific questions before an active skin treatment. *J Aesthetic Nurs.* 2014;3(3):112–6.
345. Collier H. Treatment of the upper facial musculature with botulinum toxin injections. *J Aesthetic Nurs.* 2014;3(2):60–7.
346. Curtis EA, Tracey C. Nurses' views about caring for patients receiving botulinum toxin type A for focal spasticity. *Br J Neurosci Nurs.* 2014;10(2):80–6.
347. De Maio M, Swift A, Signorini M, Fagien S. Facial Assessment and Injection Guide for Botulinum Toxin and Injectable Hyaluronic Acid Fillers. *Plast Reconstr Surg.* 2017;140(2):265e–276e.
348. Di Scala N. Botulinum toxin injections: managing the risks along with the wrinkles. *J Aesthetic Nurs.* 2015 Sep;4(7):346–8. Disponible a: <https://www.magonlinelibrary.com/doi/full/10.12968/joan.2015.4.7.346>
349. Dolar Bilge A, Sadigov F, Salar-Gomceli S. Sixth nerve palsy following botulinum toxin injection for facial rejuvenation. *Cutan Ocul Toxicol* 2017;36(2):193–4.
350. Felicilda-Reynaldo RFD, Backes K. Botox® for Overactive Bladders: A Look at the Current State of Evidence. *Medsurg Nurs.* 2014;23(1):30–4.
351. Fletcher L. Deoxycholic acid: establishing the clinical need for an additional injectable procedure. *J Aesthetic Nurs.* 2017;6(6):284–91.
352. Harrison J, Rhodes O. Hyaluronidase: Understanding Its Properties and Clinical Application for Cosmetic Injection Adverse Events. *Plast Surg Nurs.* 2017;37(3):109–11. Disponible a: <http://nursing.ceconnection.com/ovidfiles/00006527-201707000-00006.pdf>
353. Kalkbrenner K, Sanniec K, Bryant L, Heppell J, McEntarffer H, Rebecca A. Intradermal Botulinum Toxin A for Peristomal Hyperhidrosis. *J Wound Ostomy Cont Nurs.* 2014;41(5):484–6. Disponible a: https://docksci.com/intradermal-botulinum-toxin-a-for-peristomal-hyperhidrosis-a-case-study_5a95728dd64ab2861cc11e64.html
354. Kaplan JB. The Dilution Confusion: Easy Dosing for Botulinum Toxins. *Plast Surg Nurs.* 2016;36(1):24–7.
355. Katz ME, Biesman BS. Becoming An Injector: How One Practice Did It Successfully. *J Dermatol Nurses Assoc.* 2013;5(5):257–60.
356. Mendes A. Beaches and botulinum toxin in Spain, but no aesthetic nurses "as such". *J Aesthetic Nurs.* 2014;3(8):394–5.
357. Millar-Hume L. Case report: using botulinum toxin type A in a patient with a history of depression. *J Aesthetic Nurs.* 2017;6(9):478–81.
358. Regan J, Murphy A, Chiang M, BP M, Coughlan T, Walshe M. Botulinum toxin for upper oesophageal sphincter dysfunction in neurological swallowing disorders. *Cochrane Database Syst Rev.* 2014;(5). Disponible a: <http://cochranelibrary-wiley.com/doi/10.1002/14651858.CD009968.pub2/pdf>

359. Scanlon C. Lip augmentation, enhancement and volumisation with dermal fillers. *J Aesthetic Nurs.* 2015;4:24–30.
360. Schlessinger J, Gilbert E, Cohen JL, Kaufman J. New Uses of AbobotulinumtoxinA in Aesthetics. *Aesthetic Surg J.* 2017;37(suppl_1):S45–58. Disponible a: https://academic.oup.com/asj/article/37/suppl_1/S45/3098966
361. Sundaram H, Liew S, Signorini M, Vieira Braz A, Fagien S, Swift A, et al. Global Aesthetics Consensus: Hyaluronic Acid Fillers and Botulinum Toxin Type A—Recommendations for Combined Treatment and Optimizing Outcomes in Diverse Patient Populations. *Plast Reconstr Surg.* 2016;137(5):1410–23. Disponible a: https://journals.lww.com/plasreconsurg/fulltext/2016/05000/Global_Aesthetics_Consensus_Hyaluronic_Acid.11.aspx
362. Swaney JM, Smith YM, Sachai W. Primary Achalasia: Practice Implications. *J Nurse Pract.* 2016;12(7):473–8.
363. Zarb Adami R. Aesthetic nasal enhancement: products, techniques and treatment protocols. *J Aesthetic Nurs.* 2014;3(2):68–73.